

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginis 22313-1450 www.uspto.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/657,496

BOSTON, MA 02110

09/08/2003

Paul T. Bender

02103-381001

CONFIRMATION NO. 9342

26161 FISH & RICHARDSON PC 225 FRANKLIN ST

OC000000011479698

FORMALITIES LETTER

Date Mailed: 12/12/2003

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 2.
 - Numbers, letters, and reference characters on the drawings must measure at least 0.32 cm (1/8 inch) in height. See Figure(s) 3-5.
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 1.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice <u>MUST</u> be returned with the reply.

Moguss Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY